

POLISHING PADS



HTG-SCD



- Size: 3/4 inch (diameter) 12mm(thickness)
- Grit: #50 #100 #200 #400 #800 #1500 #3000
- Application: Dry Polishing



HTG-C405

- Size: 4 inch (diameter) 5mm (Thickness)
- Grit: #800 #1500 #3000
- Application: Dry Polishing



HTG-C310

- Size: 3inch (diameter) 12mm(Thickness)
- Grit: #50 #100 #200 #400
- Application: Dry Polishing



- Size: 10 inch (diameter) 10mm(thickness)
- Grit: #100 #200 #400 #800 #1500
- Application: Dry Polishing

CP8



- Size: 17/27 inch
- Grit: #400 #800 #1500 #3000 #6000 #10000
- Application: Dry Polishing



HTG-DIP-A/B/C/S



Floor Pad Discolux



For High-Speed machine. Specially manufacture to use with polishing powder.

Size: 4"/100mm, 6"/150mm, 8"/200mm, 9.5"/240mm, 11"/280mm, 13"/330mm, 14"/355mm, 16"/406mm, 17"/430mm, 20"/510mm, 21"/530mm, 24"/610mm, 28"/710mm

Elica Diamond Pads



The best solution for concrete, terazzo and natural stones.



- Polished concrete, trowelled concrete and concrete overlay.
- Marble, terazzo and natural stone restoration and polishing can be used wet on natural stone or dry on concrete and screed. Thanks to the flexible support and its design it allows to grind, sand and hone that surface fast leaving a homogeneous finish. Elica is the best solution of semi gloss, honed and matt finish on trowelled concrete or screed without exposing the aggregate.

Model	Grit	Description
Elica 000	60	Very abrasive grit. Great for removing big scratches on natural stones.
Elica 00	120	Great for removing big marks from power trowel machines or big scratches on natural stones.
Elica 0	220	Great for removing light marks from power trowel machines or light scratches on natural stones. It leaves the concrete surfaces ideal condition for densification.
Elica 1	400	To be used after Elica 0. It removes the excess of densification and leaves matt finish. It also remove minus spot or light scratches on natural stone.
Elica 2	800	To be used after Elica 1. It leaves honed finish.
Elica 3	1500	To be used after Elica 2. It leaves semi gloss finish.
Elica 4	3000	To be used after Elica 3. It leaves gloss finish.



Razor Polishing Concrete Pad

Size: 8" #100, 9" #50

P/NO: CP8100, CP9550



Razor Edge Pro-ceramic

Razor Edge Pro-ceramic specifically designed for grinding and shapping stone and concrete surfaces. The edge pro-ceramic are aggressive cutters at very high speeds and the hardest surfaces.

Size: 5.5" #50, 5.5" #100

P/NO: EPC-55050/VEL, EPC-55100/VEL



Easy Edge Ceramic Bond Edging Tools

The Easy Edge Ceramic Bond Edging Tool is excellent for removing deep scratches and for blending in the edges with rest of the floor. They can be used on any grinder no need for available speed grinder.

Size: 7"

Max: RPM6700

Grits: #50, #100